



# **MEMORANDUM**

DATE

August 4 1997

TO

**Distribution** 

FROM

Ferry Anderson Radiological Controls T893B x6438

**SUBJECT** 

JULY 1997 RMRS RDR SUMMARY REPORT JLA-018-97

The monthly RMRS Radiological Deficiency Report Tracking and Trending Summary Report is provided for your review and information. The intent of this summary is primarily statistical. However brief narratives are included that relate to the RMRS and Site (SSOC) RDR Programs.

A total of three RDRs/one Radiological Violation were incurred by RMRS during the month of July

A summary of open RMRS RDRs is also included in this report. A brief description, the number of days open status of closure request and Responsible Manger for the RDR is presented.

A summary of RDRs that have been modified and/or re-assigned since initially being issued in previous months is presented in Attachment 2. These changes typically result from RDRs previously being resolved with SSOC for proper and appropriate assignment and classifications.

This monthly report includes the following graphical representations and attachments

GRAPH 1	RMRS 12 MONTH TOTAL RADIOLOGICAL DEFICIENCY REPORTS
GRAPH 2	RMRS 12 MONTH TOTAL RADIOLOGICAL VIOLATIONS
GRAPH 3	RMRS 1997 RADIOLOGICAL DEFICIENCY REPORT DISTRIBUTION
GRAPH 4	RMRS 1997 RADIOLOGICAL VIOLATION DISTRIBUTION
ATTACHMENT 1	RMRS RADIOLOGICAL DEFICIENCY REPORT SUMMARY FOR JULY 1997
ATTACHMENT 2	BMRS BDRs FOR RESOLUTION

Your comments and questions are welcome Please contact Jerry Anderson (x6438 Fax 4046) or Dean Stewart (x7214 Fax 4046)

RDR Summary Brief	<u>July 97</u>	<u>June 97</u>	<b>Current Qtr</b>	Prev Qtr	FY to Date
Radiological Deficiency Reports	3	3	6	11	75
Radiological Violations	2	1	1	2	25
FY Average # of Days to Close RDRs	34 2				
FY Percent of RDRs Open > 30 Days	27%			0117	2131415/6

ADMIN RECCAD

SW-A-004339



		# Days	Closure	Responsible
Open RDR Summary	RDR #	<u>Open</u>	Requested	<u>Manager</u>
Non posted RA outside 569	97 177	111	Yes	S Kranker
881 computer equip moved	97 215	84	No	G Rankın
RMA entry w/o TLD in 991	97 228	76	No	T Gray
Expired RWII training	97 232 D	73	No	None indicated
SOEs enter CA w/o Rad Safety	97 238	68	No	E Roush
Incorrect CAM alarm set point	97 268	<b>55</b>	Yes	M E Brown
Cont shoes found in locker	97-300	53	No	None Indicated
Workers working w/ expired TLDs	97-311	34	No	None Indicated
707 skin contamination	97-317	26	Yes	T Bourgeois

### **Narrative**

A RMRS RDR Administration Work Instruction in the process of being reviewed and controlled Distribution to all model offices and selected group managers is anticipated prior to August 31 1997

 RDRs are included in safety performance measures. Responsible Managers are encouraged to scrutinize all RDRs issued against their activities for completeness and accuracy. Program Compliance personnel have identified several RDRs that should never have been accepted by RMRS. The time and effort to back these RDRs out of the site tracking system could be spent on other activities. <u>ALL</u> RDRs issued against RMRS must be faxed to Jerry Anderson or Dean Stewart at Fax 4046 for parallel review.

RDRs are closed when the SSOC RDR Administrator closes them not when closure paperwork is submitted to SSOC Responsible Mangers need to follow up on RDR close out actions to ensure the RDR gets closed out Submitting closure paperwork to the SSOC RDR Administrator is not a guarantee the RDR will be closed out Responsible Managers must inform Jerry Anderson or Dean Stewart when closure paperwork is submitted to SSOC in order for Program Compliance personnel to assist expediting RDR closures and document difficulties encountered regarding RDR closures


Occasionally SSOC changes the assignment of RDRs after being issued SSOC has indicated that they have no formalized notification process for these changes. Therefore RMRS Program Compliance is currently manually reviewing the SSOC RDR database weekly in order to identify any changes affecting RMRS RDRs. These changes are presented in Attachment 2 RMRS RDRs FOR RESOLUTION.

## **Distribution**


Hank Carmean Bldg 116 Michael Findley Bldg 116 Fred Hughes T893A Terry Overlid T893A Kelly Trice T130F Ann Tyson T893B Martin Wheeler T893A <u>cc</u>

Mark Mattheiss T893B Dean Stewart T893B RDR File T893B RMRS Swords (2)







 $C^{r}$ 



X



 $\sqrt{}$ 



# ATTACHMENT 1 RMRS RADIOLOGICAL DEFICIENCY REPORT SUMMARY FOR JULY 1997

	····		
RDR Open/Closed	uedo	3 **	7997
Price Anderson	2	<b>!!!</b>	3
Uptake	<del>2</del>	3	,
Personnel Contamination	2	t	,
Corrective Actions	Communications Individuals removed from CA and dostmeters pulled	I bereafter in comments and the form of th	holes to be covered with steel please. Fortineck safety discussions to be held
Apparent Cause	Communications	Special Specia	Ε
Primary Event Code	70	•	
	None indicated individuals working in the CA with axprined dosimetry badges.	From the erest of the section of the	h e ć n ii found a punctured chum. No rigid liner in chum found small hole in inner plastic bag.
Responsible Maneger	None indicated	1	•
Building	7	i.	<b>\</b>
Date of Event	76/1/7	ž.	
	97 311	<b>5</b> _	

Notes:
1 statics indicates extrapolated information not indicated in SSOC RDR database
2 RDR numbers followed by asterists indicate RDRs up for resolution
3 'Open indicates closure requested.
4 Shading indicates Rad Violation

# ATTACHMENT 2 RMRS RDRs FOR RESOLUTION

January 1997	
97-039 2/12 8/4	Not an RMRS RDR in database Now an RMRS RDR in database RMRS not informed RMRS requesting reassignment to applicable contractor
<u>June 1997</u>	
97 255 6/24	Reassigned to SSOC at the request of RMRS
97 259 6/24	Reassigned to SSOC at the request of RMRS
97 280 6/24	Reassigned to SSOC at the request of RMRS
97 282 6/24	Reassigned to DOE at the request of RMRS
97 299 6/24	Reassigned to SSOC at the request of RMRS
97 301 6/24	Reassigned to SSOC at the request of RMRS